



International Journal of Physical Education, Sports and Health

P-ISSN: 2394-1685
E-ISSN: 2394-1693
Impact Factor (ISRA): 5.38
IJPESH 2019; 6(1): 44-47
© 2019 IJPESH
www.kheljournal.com
Received: 19-11-2018
Accepted: 26-12-2018

Dr. S Somasundaramoorthy
Physical Director, PSG College
of Technology, Coimbatore,
Tamil Nadu, India

Effect of kettlebell training on selected physical fitness variables of men volleyball players

Dr. S Somasundaramoorthy

Abstract

The impartial of this study was to explore the effects of 8 Effect of Kettlebell training on selected physical fitness variables of men volleyball player total of 30 men volleyball player to participate in this study. Treatment group I underwent kettlebell training, group II acted as control group. All thirty subjects were inducted for pre and posttest on arm explosive power and muscular strength endurance. The kettlebell training was given to the experimental group for 5 days per week (Monday to Friday) for the period of eight weeks. The control group was not given any sort of training except their routine work. The arm explosive power (medicine ball throw in meter) muscular strength endurance (modified sit-ups in counts) were assessed before and after training period. The result from 't' test and inferred that 8 weeks kettlebell training treatment produced identical changes over arm explosive power and muscular strength endurance of college girls. Further, the findings confirmed the kettlebell training is suitable protocol to bring out the desirable changes over arm explosive power and muscular strength endurance of men volleyball players.

Keywords: Kettlebell training, arm explosive power, muscular strength endurance and volleyball players

Introduction

Volleyball is one of the energetic sport in the world right now. To become a successful volleyball player, he needs to vanquish a lot of physical obstacles. To attain the success, they need to train more vigorously with the help of advanced training methods and equipment. Training with kettlebells challenge the volleyball players physically and it unquestionably help the players to develop their physical fitness. A kettlebell or gray is a traditional Russian cast-iron weight that looks like a cannonball with a handle. It was very popularity in Russia that any strongman or weight lifter was referred to as a grieve, or 'a kettle bellman'. The actual origin of the kettlebell however will always be subject to debate. Strength and conditioning workouts are beneficial for improving daily living skills in leisure exercisers. Improvements in power, strength and other performance indices are elicited by powerlifting exercises both individually and in combination, and these improvements have been shown to be directly related to training adaptations. The kettlebell is an alternate training technique that will be researched and used to enhance performance and function. A kettlebell is a cast-iron weight with a handle that resembles a cannonball and is frequently used to improve strength, power, and general conditioning. The design of a kettle bell enables its centre of mass to go beyond the hand. Swings, raises, and presses The Scots will claim that they invented the kettlebell as part of the High and Games, and the Chinese say that the giant padlocks used by the Shaolin monks were the original kettle bells.

Hypothesis

The hypothesis argued in this paper is that volleyball players can significantly changes the arm explosive power and muscular strength endurance by combining technical and tactical sessions with kettlebell training over a consecutive 8 weeks period.

Methodology

To achieve the purpose of the study 30 men volleyball players at the age group of 20-25 years were selected from Coimbatore district. The selected subject was randomly assigned into two equal groups, consist of fifteen each, namely kettlebell training group (n=15) and Control

Correspondence
Dr. S Somasundaramoorthy
Physical Director, PSG College
of Technology, Coimbatore,
Tamil Nadu, India

group (n=15). The respective training was given to the experimental group the 5 days per weeks (Monday to Friday) for the training period of eight weeks. The control group was not given any sort of training except their routine. The evaluated arm explosive power medicine ball throw the unit of measurement was in meters, muscular strength endurance were measured by modified sit-ups test the unit of measurement was in counts. The parameters were measured at baseline and after 8 weeks of kettlebell training were examined. The intensity was increased once in two weeks based on the variation of the exercises.

Training Programme

The training programme was lasted for 45 minutes for session

in a day, 6 days in a week for a period of 8 weeks duration. These 45 minutes included warm up for 10 minutes, 25 minutes kettlebell and warm down for 10 minutes. The equivalent in kettlebell training is the length of the time each action in total 5 day per weeks. (Monday to Saturday)

Statistical Analysis

The collected data on arm explosive power and muscular strength endurance due to the effect of kettlebell training was statically analyzed with “t” test to find out the significant improvement between pre& posttest if any. In all case the criterion for spastically significance was set at 0.05level of confidence ($p<0.05$).

Table 1: Computation of ‘T’ ratio on arm explosive power of men volleyball players on experimental group and control group (Scores in Percentage)

Group	Test	Mean	Std. Deviation	T ratio	
Arm Explosive Power	Experimental Group	Pre test	9.25	1.61	17.87*
		Post test	10.91	1.93	
	Control Group	Pre test	8.65	0.99	
		Post test	8.46	0.92	

*significant level 0.05 level (degree of freedom 2.14, 1 and 14)

Table I reveals the computation of mean, standard deviation and ‘t’ ratio on arm explosive power of experimental and control group. The obtained ‘t’ ratio on arm explosive power max were 17.87 and 1.82 respectively. The required table value was 2.14 for the degrees of freedom 1 and 14 at the 0.05

level of significance. Since the experimental group ‘t’ values were greater than the table value of 2.14, it was found to be statistically significant. The control group ‘t’ value is less then table value of 2.14 it was found to be statistically insignificant.




Fig 1: Bar diagram showing the mean value on arm explosive power of obese college women on experimental group and control group

Table 2: Computation of ‘T’ ratio on muscular strength endurance of obese college women on experimental group and control group (Scores in Centimeters)

Group	Test	Mean	Std. Deviation	T ratio	
Muscular Strength Endurance	Experimental Group	Pre test	41.15	6.36	7.91*
		Post test	47.25	8.20	
	Control Group	Pre test	41.10	5.52	
		Post test	40.20	4.56	

*significant level 0.05 level (degree of freedom 2.14, 1 and 14)

Table II reveals the computation of mean, standard deviation and 't' ratio on muscular strength endurance of experimental and control group. The obtained 't' ratio on muscular strength endurance were 7.91 and 0.97 respectively. The required table value was 2.14 for the degrees of freedom 1 and 14 at the 0.05

level of significance. Since the experimental group 't' values were greater than the table value of 2.14, it was found to be statistically significant. The control group 't' value is less than table value of 2.14 it was found to be statistically insignificant.




Fig 2: Bar diagram showing the mean value on muscular strength endurance of obese college girls on experimental group and control group

Discussion on Findings

Persons currently are not absorbed in exercising and jogging as they think that it wastes their time and had no other benefits rather than for health. However, when they practice kettlebell, this will become a sort of exercise and also it become a skill to defence themselves from danger. The present study experimented the influence of eight weeks kettlebell training on the selected variables are arm explosive power and muscular strength endurance of the men volleyball players. The results of this study indicated that kettlebell training is more efficient to bring out desirable changes over the arm explosive power and muscular strength endurance of the men volleyball players.

Suresh *et al.*, (2018) ^[14] find that explosive strength (ES) and strength endurance (SE) significantly increased due to six weeks of Kettlebell training. Seetha *et al.*, (2013) ^[15] Consequences showed significant improvements in core strength and muscle endurance in female volleyball players due to the 8 weeks kettlebell training. Parasuram *et al.*, (2017) ^[16] result of the study showed that systematic practice of kettlebell training improved the core strength and muscular endurance in volleyball players. Arumugam *et al.*, (2015) ^[17] present study have strongly indicates that Kettle bell training of six weeks has significant improvement in all the selected performance variables namely passing, dribbling and shooting among soccer players.

The result from this study are very encouraging and it demonstrates the benefits of kettlebell training. The volleyball players are not only using exercises to improve their mobility but also to improve the performance. Besides, the results support that improvement in mobility can occur 8 weeks of kettlebell training.

Conclusions

1. Based on the result of the study it was concluded that the 8 weeks of kettlebell training have been significantly changes in arm explosive power of men volleyball

players.

2. It was concluded that the 8 weeks of kettlebell training have been significantly changes in muscular strength endurance of men volleyball players.

References

1. Parasuraman T, Mahadevan V. Effect of 6 week kettle bell training on core strength and muscular endurance in volleyball players. *International Journal of Physiology, Nutrition and Physical Education*; c2018.
2. Seethalakshmi C, Suresh C. Consequence of Kettlebell Intervention On Core Strength and Muscular Strength Among Female Volleyball Players. *Korean Journal of Physiology*; c2023.
3. Parasuraman T. Effect of circuit training with Kettlebell on performance related variables among volleyball players. *International Journal of Physiology, Nutrition and Physical Education*. 2020;5(1):24-26.
4. Meigh NJ, Keogh JW, Schram B, Hing WA. Kettlebell training in clinical practice: a scoping review. *BMC Sports Science, Medicine and Rehabilitation*. 2019;11:1-30.
5. Edwin Jerry C, Khan DJA. Effect of kettlebell training on agility and muscular strength among university-level men handball players. *Journal of positive school psychology*, 2000-2003; c2022.
6. Ooraniyan K, Kumaran SS, Jenith P. Effects of circuit training with kettlebell on explosive power and strength endurance among handball players. *EPR International Journal of Research and Development (IJRD)*. 2022;7(4):138-141.
7. Ullah I, Tabassum F, Saba S, Saman S. Comparison of effects of kettlebell and battle rope high-intensity interval training (hiit) protocols on explosive power. *Elementary education online*. 2021;20(2):1308-1308.
8. Murugavel K, Kodeeswaran N, Prabakaran G, Udhayakumar P. Footballer's corporeal capability as a

- result of aqua aerobic exercises: An experimental study.
9. Prabakaran D, Sridar P. Impacts of kettlebell training on leg strength and muscular strength among college level women kabaddi players. *Epra international journal of research and development (IJRD)*. 2022;7(6):135-138.
 10. Pounraj C, Jaskar KMM. Impact of battle rope training and kettlebell exercise on selected physical variables among school level badminton player.
 11. Balamurugan V. Influences of kettlebell training on leg strength and muscular strength among college level men athletes. *Epra international journal of multidisciplinary research (IJMR)*. 2023;9(7):97-100.
 12. Jany MSH, Vairavasundaram C, Chotemiya MM. Effect of kettlebell training on selected physical fitness variables among students from alagappa university college of physical education.
 13. Lake JP, Lauder MA. Kettlebell swing training improves maximal and explosive strength. *The Journal of Strength & Conditioning Research*. 2012;26(8):2228-2233.
 14. Suresh K, Voong KR, Shankar B, Forde PM, Ettinger DS, Marrone KA, *et al.* Pneumonitis in non-small cell lung cancer patients receiving immune checkpoint immunotherapy: incidence and risk factors. *Journal of Thoracic Oncology*. 2018 Dec 1;13(12):1930-1939.
 15. Jose A, Seetha Lakshmi KC, Suresh E, Nair V. Phosphine-mediated reaction of 3-alkyl allenolates and diaryl 1, 2-diones: efficient diastereoselective synthesis of fully substituted cyclopentenones. *Organic letters*. 2013 Apr 19;15(8):1858-1861.
 16. Dhar S, Gursoy-Yuzugullu O, Parasuram R, Price BD. The tale of a tail: histone H4 acetylation and the repair of DNA breaks. *Philosophical Transactions of the Royal Society B: Biological Sciences*. 2017 Oct 5;372(1731):20160284.
 17. Arumugam GS, Ponnuchamy T. EE-LEACH: development of energy-efficient LEACH Protocol for data gathering in WSN. *EURASIP Journal on Wireless Communications and Networking*. 2015;2015(1):1-9.