



International Journal of Physical Education, Sports and Health

P-ISSN: 2394-1685
E-ISSN: 2394-1693
Impact Factor (ISRA): 5.38
IJPESH 2020; 7(2): 11-12
© 2020 IJPESH
www.kheljournal.com
Received: 06-01-2020
Accepted: 12-02-2020

Dr. SH Belorkar
Director of Physical Education &
Sports K.C.E's M.J. College,
Jalgaon, Maharashtra, India

Effect of Kapalabhati pranayama on cardiovascular endurance

Dr. SH Belorkar

Abstract

The purpose of study was to find out the effect of Kapalabhati pranayama training on cardiovascular endurance. To achieve this purpose of study, forty (40) male students were studying in M.J. College, Jalgaon.(M.S), were selected as subjects at random for the present study. The ages of these subjects ranged between 18 to 25 years. Random group design was used for the purpose of the present study. The selected subjects were divided into two equal groups. Group -A1 acted as experimental group and Group -B1 acted as Control group. Both groups consist of twenty subjects each. The Kapalabhati pranayama training was given to Experimental group for three days i.e. Monday, Wednesday, and Friday for eight weeks. The cardiovascular endurance was selected as criterion variable and it was measured by using cooper 12 minutes run/walk test. Analysis of covariance (Ancova) was used to find out the significant differences if any between the experimental group and control group. The level of significance was set at 0.05 level. The results of the study showed that there was a significance difference. A significance improvement in cardiovascular endurance due to the Kapalabhati pranayama training.

Keywords: Kapalabhati pranayama, training, cardiovascular endurance

Introduction

The word yoga is derived from the Sanskrit root yuj meaning to bind and yoke. The ancient yogis advocated the practice of pranayama to unite the breath with the mind, and thus with prana of life force. Prana is energy, and ayama is the string and distribution of that energy. Most of people know that the practice of yoga makes the body strong and flexible. It is also well known that yoga improve the functioning of the respiratory circulatory digestive and hormonal systems. (Iyengar, 2001) [6]. Kapalabhati is one variety of pranayama. In Sanskrit kapala means skull and bhata means to shine thus kapalabhati is an exercise the practice of which imparts glow to the skull. (Sharma, 2000) In kapalabhati, the inhalation is slow but the exhalation is vigorous, there is a split second of retention of each exhalation. (Bains, Gill, Brar, Rathee, & Sing, 2004) [1]. Cardio Vascular Endurance can be defined as the ability of heart and lungs to take in and to transport adequate amounts of oxygen to the working muscles for activities that involve large muscle masses, to be performed over long periods of time. (Kansal, 1996) [7]. Today Yogic practice has become popular throughout the world. But there are many Misconceptions about this practice due to lack of scientific information about them. Yogic practices are generally looked upon as exercise physiology. The physiology of Yogic Practices differs greatly from that of exercise physiology. The scientific nature of the Yogic Practices was first revealed when Late Swami Kuvalyanada ji started his scientific research in the field of Yoga in 1924. These research findings could remove several misconceptions about Yoga and removed the mystical sheath over it. He showed that a logical and scientific explanation could be possible for traditionally described technique of various practices. (Gore, 1984) [5].

Materials and Methods

The purpose of the study was to find out the effect of Kapalabhati pranayama on cardiovascular endurance variables. To achieve this purpose of study, forty (40) male students were studying in M.J. College, Jalgaon. (M.S), were selected as subjects at random for the present study, on the basis of their interest in yoga and willingness to participate in the eight

Corresponding Author:
Dr. SH Belorkar
Director of Physical Education &
Sports K.C.E's M.J. College,
Jalgaon, Maharashtra, India

weeks training program. The selected subjects were divided into two equal groups of twenty subjects each such as experimental group and Control group.

The Kapalabhati pranayama training was given to Experimental group for three days Days i.e. Monday, Wednesday, and Friday for eight weeks and no training was imparted to the control group. Cardiovascular endurance was selected as criterion variable and it was tested by using cooper 12 minutes run/walk test. Analysis of co-variance (Ancova) was used to find out the significant differences if any between the experimental group and control group. The level of significance was set at 0.05 level.

Training programme

For experimental group, training was given for three alternate days in a week for eight weeks. Training was given for one session in the morning only. The investigator prepared a suitable training programme for the subjects. The training

programme was prepared with the help of the expert in yoga. During experimental period, the control group did not participate in any special programme apart from their regular activities.

Table 1: Schedule for Experimental Group

PHASE	Name of Pranayama	Repetitio N	SET
1st Week	Kapalabhati	25	5
2nd Week	Kapalabhati	30	5
3rd Week	Kapalabhati	30	6
4th Week	Kapalabhati	35	6
5th Week	Kapalabhati	35	7
6th Week	Kapalabhati	40	7
7th Week	Kapalabhati	40	8
8th Week	Kapalabhati	45	8

Results and Discussion

Table 2: Analysis of Covariance of the Means of the Experimental and Control Group for Cardiovascular Endurance

Sr. No.	Test	Groups		Df	Sum of Square s	Mean Sum of Squares	F Ratio
		Exp. A	Control B				
1	Pre-Test Means	1935	1920	A	1	2250	.308
				W	38	277500	
2	Post-Test Means	1970	1879.50	A	1	52562.5	5.973*
				W	38	334375	8799.34
3	Adjuste d Post Test Means	1966.29	1901.20	A	1	42032.26	5.830*
				W	37	266738.96	7209.16

*Significant at .05 level

F5 (1, 38) 4.10 (1, 37) 4.10, N=40, A= Among the groups, W=With in the groups

Table 2, shows that the pre-test means of Kapalabhati pranayama group and control group on Cardiovascular Endurance were 1935 and 1920 respectively. The obtained F-ratio of .308 for pre-test is less than the table value of 4.10 for df 1 and 38 required for significant at .05 level of confidence. The posttest means of Kapalabhati pranayama group and control group were 1970 and 1879.50 respectively. The obtained F-ratio of 5.973* for post-test is greater than the table value of 4.10 for df 1 and 38 required for significant at .05 level of confidence. The adjusted post-test means of Kapalabhati pranayama group and control group were 1966.29 and 1901.20 respectively. The obtained F-ratio of 5.830* for adjusted post-test is greater than the table value of 4.10 for df 1 and 37 required for significant at .05 level of confidence.

(Ganguly, Gharoti and Jolly, 1981) [3] with a view to see the immediate effect of Kapalabhati on cardio respiratory endurance & observed a significant improvement in the cardio vascular endurance after performing one minute of Kapalabhati as compared to hyperventilation of similar duration.

(Gharote & Ganguly, 1973) [4] Cardio vascular fitness plays a vital role in the maintenance by proper health and physical fitness. The purpose was to determine the effect of long term yogic training program on cardio-vascular efficiency Harvard step test was administered of 11 male students and results of the study indicated that one hour of daily yogic exercise including pranayama schedule significantly improved cardio vascular efficiency of the student.

(Nandhi and Adhikari, 1999) conducted a study on the effect of yogic practices on cardio respiratory endurance of school boys. The present study was undertaken on 20 male students of Rajagram S.B. Rana institution, Baukura cardio respiratory endurance was measured using coopers 12 minute Run/Walk

test. During the experimental period the subject were given yogic exercise for a period of 8 weeks. The data showed a significant improvement in the fitness test as a result of yogic practices.

Conclusion

On the basis of above discussion, it is concluded that the cardiovascular endurance was significantly improved due to the training of Kapalabhati Pranayama.

References

- Bains J, Gill JS, Brar RS, Rathee NK, Singh, Ajmer. Essentials of Physicaleducation, Kalyani Publishers, Ludhiana, 2004, 538
- Engene S Rawles. Yoga For Beauty and Health, Parker Publishing Co., Inc., New York, 1967, 10-19
- Ganguly SK, Gharoti ML, Jolly K. —Immediate Effect of Kapalabhaati on Cardio Respiratory endurancel Yoga Mimansa, 1981; 28(1):1-7
- Gharote ML, Ganguly SK. -Effect of Yogic Training on Physical Fitness -Yoga Mimansa, 1973; XV:31-35
- Gore MM. Anatomy and Physiology of Yogic Practices, Kanchan Prakashan, Pune, 1984, 1-2
- Iyengar BKS. yoga, Dorling Kindersley, Great Britain, 2001, 14-32
- Kansal DK. Test and Measurement in Sports and Physical Education, DVS Publications, New Delhi, 1996, 140